... Continuation of the Sampling Procedure

5. SAMPLE A PIECE OF MUSCLE AND LIVER

Sample a piece of muscle and a piece of liver for every stomach examined.

MUSCLE

- Take a sample from the back of the fish near the first dosal fin (B), and from the wings for rays (W)
- Cut a sample of muscle, around 4-5 cm³, about the size of a finger.
- Remove the skin from the muscle sample.
- Put the muscle sample in a small plastic bag. Tear off the remaining MUSCLE/LIVER part of the waterproof label. Fill in your (Put the label in the bag with the muscle.







piece to sample FROM WINGS OF (w) body lower side cavity of the rav

PURSE SEINE

LIVER

- · Cut a sample of liver, around 4-5 cm3, about the size of a finger.
- Put the liver sample in a tiny plastic bag, close it tightly, place it inside the bag containing the muscle sample and the label, and close that bag tightly





• Don't put the small plastic bag containing the muscle and liver samples into the plastic bag containing the stomach. This will contaminate the sample. Instead, gather all the small plastic bags containing muscle/liver samples in one clean big plastic bag, which will be kept in the freezer (see section 7).

6. FILL OUT THE FORMS

 In section F, record the number of the muscle/liver sample in the column 'MUSCLE (NUMBER)' on form GEN-5_

SKJ 56 M 14 14	ODE (cm) (M.	F, I) (E or NUMSER)	MUSCLE COMM NUMBERI	Ine
	KJ 56 N	1 14	14	sampl
RRU 77 F 15 15	IRU TT I	F 15	15	sa

8. COMPLETE THE FORMS

Complete sections B (set details), C (catch details), and D (questions) of the GEN-5 form. Copy directly the information on observer, vessel, date and time, position, wind and sea conditions, school, catch details (tuna and other species) and questions from forms PS-2 and PS-3 (see the back of form GEN-5 for details).

7. STORAGE AND PACKING OF SAMPLES

Once you have sampled all your fish from the set, put the samples (stomachs, muscles and livers) in the freezer either

- in the cooler (esky), and follow the procedure as outlined below, or
 in a strong plastic bag if the freezer is very small and pack the samples in the cooler (esky) just before disembarking as outlined below.
 - Put the first 50 samples (or ½ of your samples) above the layer of frozen hydrated gelpacks ENVIROFREEZE™ you put in the bottom of the cooler (esky).
 After 50 samples (or ½ of your samples) put another layer of frozen
 - hydrated gelpacks ENVIROFREEZE™, then add the rest of the samples.
 - Stop sampling when the cooler (esky) is full or when you don't have any more labels.
 - · When you are finished sampling put another layer of frozen hydrated gelpacks ENVIROFREEZE™ on top of the last samples.
 - Close the cooler (esky) just before disembarking.

See page 1 for information on how to send the samples and the forms.

Tuna Ecosystem Study

STOMACH, Muscle and Liver Sampling Procedure

PURSE SEINE

BACKGROUND

Tuna are the main oceanic resource of the Pacific Ocean. In 2000, the tuna catches of the western and central Pacific Ocean represented around 48% of the world's tuna catch. The Secretariat of the Pacific Community's Oceanic Fisheries Programme (OFP) provides information, analysis and advice to Pacific Island member countries to allow them to make informed decisions when managing the tuna fishery.

Until now, traditional management models were based on single species stock assessments. That view is now broadening to include the complex ecosystem of which tunas are a part. Many fish are inter-related: big fish (tuna) eat small fish and squid, while smaller fish eat tiny fish, who in turn feed on zooplankton (mainly small shrimps) and phytoplankton (microscopic algae). Scientists now realise that while it is important to keep an eye on the total tuna catches, it is also necessary to consider the food that tuna eat, because without this food there would be no tuna

In this study, two methods are used to look at the tuna ecosystem By examining stomach contents we will have a better understanding of predator-prey relationships (for tuna, bycatch and discard species). Observers are also asked to take muscle and liver samples from every fish. The muscle and liver samples will undergo chemical analysis, which will establish if the species is a top predator (sharks, tunas), a predator, or an herbivore that feeds on phytoplankton.

The results of the study, along with the catch and bycatch information that observers collect, should allow us to draw an elaborate food web, like the 'trophic model' shown to the right, and to understand which species are critical to the tuna fishery. We can then predict the response of the different ecosystem elements to our fishing management policy.

This work is funded by the United Nations Development Programme under its Global Environment Facility project: the Strategic Action Programme for the International Waters of the Pacific Small Island Developing States.

> Dr Valerie ALLAIN Fisheries Research Scientist





SEND THE SAMPLES AND THE FORMS


When you arrive at the harbour, contact your supervisor (see list of contacts to the right).

Remove the samples from the cooler (esky) and store them in a freezer until they are sent to SPC by freight.

Send the originals of forms GEN-5 to Valerie ALLAIN at SPC (see address to the right).

CHECKLIST

- 1 cooler (esky) + 1 strong plastic bagwaterproof labels + pencils
- plastic bags of different sizes
- 1 knife
- dehydrated gelpacks ENVIROFREEZE™ with hydration procedure
 forms GEN-5 STOMACH CONTENTS



Trophic model of a pelagic ecosystem. Modified from Chri ecosystem context. EC Fisheries Cooperation Bulletin 10(2):9-14.

CONTACTS

AMERICAN SAMOA: Gordon YAMASAKI National Marine Fisheries Service, PO Box 4150, Pago Pago 96799, American Samoa Phone: +684 633 5598, Fax: +684 633 1400 E-mail: gordon.yamakasi@noaa.gov

ATED STATES OF MICRONESIA: Tim PARK/Steven RETALMAL Micronesian Fisheries Authority, PO Box PS122 Palikir, Pohnpei FM 96941, Federated States of Micronesia Phone: +691 320 2700/5181.

Fax: +691 320 2383 Telex: +729 6812 E-mail: timp@mma.fm

PLIA NEW GLIINEA: Noan PAKOE National Fisheries Authority, PO Box 2016, Port Moresby, N.C.D., Papua New Guinea Phone: +675 321 2643, Fax: +675 320 2061 E-mail: pakopn@fisheries.gov.pg

> IN OTHER COUNTRIES PLEASE CONTACT THE OBSERVER COORDINATOR:

FRENCH POLYNESIA: Christophe MISSELIS

Phone: +689 50 25 50
KIRIBATI: Raikaon TUMOA
Phone: +686 21 099 MARSHALL ISLANDS: Glen JOSEPH Phone: +692 625 8262 SOLOMON ISLANDS: George DIAU Phone: +677 30 108

HE PACIFIC COMMUNITY, NEW CALEDONIA Valerie ALLAIN

SPC, BP D5, 98848 Noumea Cedex,

New Caledonia Phone: +687 26 20 00, Fax: +687 26 38 18 E-mail: valeriea@spc.int

NUMBER OF SAMPLES TO COLLECT

Stop sampling when the cooler (esky) is full or when you don't have any more labels.

Sampling Procedure

1. BEFORE YOU START SAMPLING

- Hydrate gelpacks ENVIROFREEZE™ with **FRESH WATER** as outlined on the 'Hydration of gelpacks ENVIROFREEZE™ (ice replacement)' leaflet. Put them in the freezer at least 24 hours before you start sampling.
- Place the cooler (esky) in the freezer, leave it open. Put a layer of hydrated frozen gelpacks ENVIROFREEZE™ in the bottom of the cooler (esky). You will store your samples here.
- If the freezer is very small, keep your samples in the strong plastic bag in the freezer. Pack the samples in the cooler (esky) just before disembarking (see section 7 of this protocol).
- YOU ARE NOW READY FOR SAMPLING.

PURSE SEINE

2. SELECT YOUR FISH

- · Select 2 specimens of each tuna species from each
 - That is 2 SKJ, 2 YFT, and 2 BET when possible. Select up to 5 specimens of each bycatch species
- landed from each set (5 RRU, 5 WAH, 5 TRI, etc. when possible)


the

- Don't select the fish if the stomach is turned inside out.
- You may sample gear-damaged fish if the internal organs are intact. Otherwise, ask to sample non-damaged tuna.
- Stop sampling when the cooler (esky) is full or when you don't have any more labels.

3. SAMPLE THE STOMACH




Open the fish's body carefully with the tip of the knife to avoid cutting internal organs.



Gonáds (testes or ovaries) are located under the intestine, near the anus.



digestive system on its side



Remove the stomach.




Cut the oesophagus as near as possible to the gills.



Cut the intestine away from the digestive system.





- Carefully put the stomach in a plastic bag.
- Tear off the STOMACH part of the label and keep the MUSCLE/LIVER part of the label for muscle/liver sampling (section 5 on the following page).
- Record your OBSERVER TRIP ID NUMBER on the STOMACH part of the label (ex: third trip of John Masa in 2002: JM 02-03), put the label in the bag with the stomach, and close the bag tightly.
- Complete the forms (see section 4 below).
- Sample a piece of muscle and liver (see section 5 on the following page).

4. COMPLETE THE FORMS

Complete the form GEN-5 STOMACH CONTENTS for each set where stomach/muscle/liver samples are taken:

- (i.e. observer name / trip number / vessel name / start of set date and time).
- Record the species code in section E.

 Measure the fish, report its length, and the sex if possible.
 - 'STOMACH' column, record the number of the stomach sample, which is on the waterproof label you put in the plastic bag with the stomach.

SPECIES	LENGTH (cm)	SEX (M. F. I)	STOMACH (E or NUMBER)	MUSCLE MUSCLE	COMMENT
SKJ	56	M	14	11/10/15/19/19	
RRU	11	F	15		
			A		